ELSEVIER

International Journal of Mass Spectrometry 189 (1999) 225

International Journal of Mass Spectrometry

Author index

Andre, J., 181
Appelhans, A.D., 39, 47
Aubreton, J., 63

Bánó, G., 103
Baranova, L.A., 19
Bertrand, P., 133
Boryak, O.A., L1
Brincourt, G., 181

Carette, M., 181
Cerda, B.A., 189
Chang, T.-L., 205
Chen, Y.-C., 157
Choi, Y.-K., 115
Chu, Z.-Y., 205

Dahl, D.A., 39, 47
De Bièvre, P., 27
Delcorte, A., 133

Gao, Z., 147
Giapintzakis, J., 1
Glosík, J., 103
Gurov, V.S., 9

Han, C., 147
Han, C.-C., 157
Han, Y.-L.W., 157
Heninger, M., 93
Henriksen, F., 27

Im, H.-S., 115

Jauberteau, I., 63
Jauberteau, J.L., 63
Jung, K.-W., 115

Kaneko, M., 173
Katada, Y., 173
Kipphardt, H., 27
Kissel, J., 79
Kosevich, M.V., L1
Krueger, F.R., 79

Lavendy, H., 125
Lemaire, J., 93
Li, W.-J., 205
Liu, J., 147
Luca, A., 103

Marx, R., 93
Mauclaire, G., 93
Menon, A.G., 53

Okuyama, F., 173

Pascoli, G., 125
Perrier, P., 181
Philippov, I.W., 9
Plašil, R., 103

Qian, Q.-Y., 205
Qiao, G.-S., 205

Read, F.H., 19
Reich, D.F., 133

Safonov, M.P., 9
Schmid, E.R., 79
Senda, S., 173
Sevugarajan, S., 53
Sfounis, A., 1
Shelkovsky, V.S., L1
Sheretov, E.P., 9
Smith, D., 213
Španěl, P., 213
Stepanov, I.O., L1

Tanemura, M., 173
Taylor, P.D.P., 27
Tölg, G., 27

Valkiers, S., 27
Vanden Eynde, X., 133
Varmuza, K., 79
Velegrakis, M., 1

Ward, M.B., 39, 47
Werther, W., 79
Wesdemiotis, C., 189

Zakouřil, P., 103
Zerega, Y., 181
Zheng, W., 147
Zhu, Q., 147

ELSEVIER

International Journal of Mass Spectrometry 189 (1999) 227–230

International Journal of Mass Spectrometry

Subject index

Aberration
Minimisation of the aberrations of electrostatic lens systems composed of quadrupole and octupole lenses, 19
Atomic weight
Absolute isotopic composition and atomic weight of germanium, 205
Measurement of the isotopic composition of germanium using GeF_4 produced by direct fluorination and wet chemical procedures, 27

Carbon clusters
Geometrical structures of the phosphorus-doped carbon cluster cations C_nP^+ ($n = 1-20$), 125
Charge transfer
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O^+_2 with several aromatic and aliphatic monosubstituted halocarbons, 213
Chemical ionisation
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O^+_2 with several aromatic and aliphatic monosubstituted halocarbons, 213
Clusters
Low temperature fast atom bombardment mass spectra of HCl water solution, L1
C_nP^+
Geometrical structures of the phosphorus-doped carbon cluster cations C_nP^+ ($n = 1-20$), 125
Cometary dust
Organic substances in cometary grains: comparison of secondary ion mass spectral data and californium-252 plasma desorption data from reference compounds, 79
Cometary secondary ion mass analyzer (COSIMA)
Organic substances in cometary grains: comparison of secondary ion mass spectral data and californium-252 plasma desorption data from reference compounds, 79
Condensation in a laser ablated plume
On the formation of ionic species generated in UV-laser desorption ionization of a frozen aqueous $CdCl_3$ solution, 157
Crystalline hydrates
Low temperature fast atom bombardment mass spectra of HCl water solution, L1

Density functional theory (DFT)
Geometrical structures of the phosphorus-doped carbon cluster cations C_nP^+ ($n = 1-20$), 125
Dimer emission
Anomalous signal formation in secondary ion mass spectrometry of palladium, 173
Duffing equation
Field imperfection induced axial secular frequency shifts in nonlinear ion traps, 53

Electron
Minimisation of the aberrations of electrostatic lens systems composed of quadrupole and octupole lenses, 19
Electron impact induced fragmentation
Excitation of C^+_{60} by electrons in a Fourier transform ion cyclotron resonance ion trap: an experimental determination of the radiative cooling rate through its competition with C_2 evaporation, 93
Electron ion recombination
Study of the electron ion recombination in high pressure flowing afterglow: recombination of $NH^+_4 \cdot (NH_3)_2$, 103
Electrostatic
Minimisation of the aberrations of electrostatic lens systems composed of quadrupole and octupole lenses, 19
Energy analyzer (energy filter)
Hyperboloid mass spectrometers for space exploration, 9
Entropy effects
Thermochemistry and structures of Na^+ coordinated mono- and disaccharide stereoisomers, 189
Environmental pollutants
Rydberg electron capture mass spectrometry of some environmental pollutants, 181

Flowing afterglow
Study of the electron ion recombination in high pressure flowing afterglow: recombination of $NH^+_4 \cdot (NH_3)_2$, 103
Fluorination
Measurement of the isotopic composition of germanium using GeF_4 produced by direct fluorination and wet chemical procedures, 27

Fourier transform ion cyclotron resonance (FTICR)
Excitation of C_{60}^+ by electrons in a Fourier transform ion cyclotron resonance ion trap: an experimental determination of the radiative cooling rate through its competition with C_2 evaporation, 93
Fourier transform mass analysis
Rydberg electron capture mass spectrometry of some environmental pollutants, 181
Frequency shift
Field imperfection induced axial secular frequency shifts in nonlinear ion traps, 53
Frozen water solutions
Low temperature fast atom bombardment mass spectra of HCl water solution, L1
Fullerene ions
Excitation of C_{60}^+ by electrons in a Fourier transform ion cyclotron resonance ion trap: an experimental determination of the radiative cooling rate through its competition with C_2 evaporation, 93

Germanium
Absolute isotopic composition and atomic weight of germanium, 205
Measurement of the isotopic composition of germanium using GeF_4 produced by direct fluorination and wet chemical procedures, 27
Graphite
Laser ablation of graphite at 355 nm: cluster formation and plume propagation, 115

Halocarbons
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O^+_2 with several aromatic and aliphatic monosubstituted halocarbons, 213
HCl
Low temperature fast atom bombardment mass spectra of HCl water solution, L1
Hydrated ions formed in laser desorption ionization
On the formation of ionic species generated in UV-laser desorption ionization of a frozen aqueous $CdCl_3$ solution, 157
Hydride formation
Anomalous signal formation in secondary ion mass spectrometry of palladium, 173

Ion emission
Influence of the primary ion beam parameters (nature, energy, and angle) on the kinetic energy distribution of molecular fragments sputtered from poly(ethylene terephthalate) by kiloelectron volt ions, 133
Ion guns
A univoltage ion gun design, 39
Ion-molecule reactions
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O^+_2 with several aromatic and aliphatic monosubstituted halocarbons, 213
Ion optics
A modular ion beam deflector, 47
A univoltage ion gun design, 39
Ion trap
Hyperboloid mass spectrometers for space exploration, 9
A modular ion beam deflector, 47
Isotopes
Measurement of the isotopic composition of germanium using GeF_4 produced by direct fluorination and wet chemical procedures, 27
Isotopic abundance
Absolute isotopic composition and atomic weight of germanium, 205
Isotopic composition
Measurement of the isotopic composition of germanium using GeF_4 produced by direct fluorination and wet chemical procedures, 27

Kinetic energy
Influence of the primary ion beam parameters (nature, energy, and angle) on the kinetic energy distribution of molecular fragments sputtered from poly(ethylene terephthalate) by kiloelectron volt ions, 133

Langmuir probe
Study of the electron ion recombination in high pressure flowing afterglow: recombination of $NH_4^+ \cdot (NH_3)_2$, 103
Laser ablation
A comparative mass spectroscopic study between infrared and ultraviolet laser ablation of a superconducting $YBa_2Cu_3O_{7-x}$ target, 1
Formation of lead/sulfur binary cluster ions by laser ablation, 147
Laser ablation of graphite at 355 nm: cluster formation and plume propagation, 115
Laser desorption ionization from a frozen aqueous sample
On the formation of ionic species generated in UV-laser desorption ionization of a frozen aqueous $CdCl_3$ solution, 157
Lead/sulfur clusters
Formation of lead/sulfur binary cluster ions by laser ablation, 147

Lens
Minimisation of the aberrations of electrostatic lens systems composed of quadrupole and octupole lenses, 19
Low temperature fast atom bombardment
Low temperature fast atom bombardment mass spectra of HCl water solution, L1

Mass analyzer
Hyperboloid mass spectrometers for space exploration, 9
Mass spectrometry
Absolute isotopic composition and atomic weight of germanium, 205
A comparative mass spectroscopic study between infrared and ultraviolet laser ablation of a superconducting $YBa_2Cu_3O_{7-x}$ target, 1
Microwave discharge
Characterization of an Ar-TMS microwave discharge using mass spectrometry: effect of the reactor design on free-radical contents, 63
Monopole mass filter
Hyperboloid mass spectrometers for space exploration, 9
Multiplets
Minimisation of the aberrations of electrostatic lens systems composed of quadrupole and octupole lenses, 19
Multipoles
Field imperfection induced axial secular frequency shifts in nonlinear ion traps, 53

Na^+ affinity
Thermochemistry and structures of Na^+ coordinated mono- and disaccharide stereoisomers, 189
Na^+ complexes
Thermochemistry and structures of Na^+ coordinated mono- and disaccharide stereoisomers, 189
Negative ions
Anomalous signal formation in secondary ion mass spectrometry of palladium, 173
Nonlinear traps
Field imperfection induced axial secular frequency shifts in nonlinear ion traps, 53

Palladium-cesium
Anomalous signal formation in secondary ion mass spectrometry of palladium, 173
Photodissociation
Formation of lead/sulfur binary cluster ions by laser ablation, 147
Plasma
A comparative mass spectroscopic study between infrared and ultraviolet laser ablation of a superconducting $YBa_2Cu_3O_{7-x}$ target, 1
Plasma composition
Characterization of an Ar-TMS microwave discharge using mass spectrometry: effect of the reactor design on free-radical contents, 63
Plasma desorption mass spectrometry (PDMS)
Organic substances in cometary grains: comparison of secondary ion mass spectral data and californium-252 plasma desorption data from reference compounds, 79
Poly(ethylene terephthalate) (PET)
Influence of the primary ion beam parameters (nature, energy, and angle) on the kinetic energy distribution of molecular fragments sputtered from poly(ethylene terephthalate) by kiloelectron volt ions, 133
Proton transfer
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O^+_2 with several aromatic and aliphatic monosubstituted halocarbons, 213

Quadrupole
Minimisation of the aberrations of electrostatic lens systems composed of quadrupole and octupole lenses, 19
Quadrupole ion trap
Rydberg electron capture mass spectrometry of some environmental pollutants, 181
Quadrupole mass filter
Hyperboloid mass spectrometers for space exploration, 9

Radiative cooling
Excitation of C^+_{60} by electrons in a Fourier transform ion cyclotron resonance ion trap: an experimental determination of the radiative cooling rate through its competition with C_2 evaporation, 93
Recombination coefficient
Study of the electron ion recombination in high pressure flowing afterglow: recombination of $NH^+_4 \cdot (NH_3)_2$, 103
Recombination of cluster ions
Study of the electron ion recombination in high pressure flowing afterglow: recombination of $NH^+_4 \cdot (NH_3)_2$, 103
ROSETTA
Organic substances in cometary grains: comparison of secondary ion mass spectral data and californium-252 plasma desorption data from reference compounds, 79
Rydberg electron capture
Rydberg electron capture mass spectrometry of some environmental pollutants, 181

Saccharides
Thermochemistry and structures of Na^+ coordinated mono- and disaccharide stereoisomers, 189
Secondary ion mass spectrometry (SIMS)

Anomalous signal formation in secondary ion mass spectrometry of palladium, 173
Influence of the primary ion beam parameters (nature, energy, and angle) on the kinetic energy distribution of molecular fragments sputtered from poly(ethylene terephthalate) by kiloelectron volt ions, 133
A modular ion beam deflector, 47
Organic substances in cometary grains: comparison of secondary ion mass spectral data and californium-252 plasma desorption data from reference compounds, 79
A univoltage ion gun design, 39
Secular frequency
Field imperfection induced axial secular frequency shifts in nonlinear ion traps, 53
Selected ion flow tube (SIFT)
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O^+_2 with several aromatic and aliphatic monosubstituted halocarbons, 213
Sputtering
Influence of the primary ion beam parameters (nature, energy, and angle) on the kinetic energy distribution of molecular fragments sputtered from poly(ethylene terephthalate) by kiloelectron volt ions, 133
Stereoisomer distinction
Thermochemistry and structures of Na^+ coordinated mono- and disaccharide stereoisomers, 189
Superconductivity
A comparative mass spectroscopic study between infrared and ultraviolet laser ablation of a superconducting $YBa_2Cu_3O_{7-x}$ target, 1
Tetramethyl silane
Characterization of an Ar-TMS microwave discharge using mass spectrometry: effect of the reactor design on free-radical contents, 63
Time-of-flight (TOF) mass spectrometer
A comparative mass spectroscopic study between infrared and ultraviolet laser ablation of a superconducting $YBa_2Cu_3O_{7-x}$ target, 1
Formation of lead/sulfur binary cluster ions by laser ablation, 147
Laser ablation of graphite at 355 nm: cluster formation and plume propagation, 115
Trace gas analysis
Selected ion flow tube studies of the reactions of H_3O^+, NO^+, and O^+_2 with several aromatic and aliphatic monosubstituted halocarbons, 213
TRIM
Influence of the primary ion beam parameters (nature, energy, and angle) on the kinetic energy distribution of molecular fragments sputtered from poly(ethylene terephthalate) by kiloelectron volt ions, 133